SUPPLIER DECLARATION OF CONFORMITY (SDOC) In accordance with ISO/IEC 17050-1:2004

SDoC Identification Number ¹ : VIRUN1: INTERIOR RECTANGLE FRAME WOOD WITH BLACK HARDWARE PENDANT LIGHT WTY 1YR			
Issuer details			
Name ² (of New Zealand manufacturer or importer): CLA LIGHTING NEW ZEALAND Telephone: 0011 64 9427 6133 New Zealand Company No. (if applicable): 6232290 Email Address: brenda@clalighting.co.nz		Contact Address: 20C MANGA RD – SILVERDALE AUCKLAND NZ 0932	
Medium Risk Article – Details ³ (Product name, type, rating, brand, model, batch numbers, and serial numbers, as applicable):			
VIRUN1 – Pendant Input Voltage 22 Black Canopy WTY 1YR	0-240V ES 4 x 72W Rectangle Wood	Frame & Black Hardware Iron L800mmX V	V150mmXH185mm & (3M X2) Cable
The Medium Risk Article listed above, fully complies:			
With cited standard(s), as listed ⁴ : Standard number and issue year: Edition / Amendment status: Standard title: Edison screw lampholders – Amendment 1:2015		Standard number and issue year: Edition / Amendment status: Standard title: Polyvinyl chloride insulated cab and including 450/750 V – Flexi Amendment 1	U
AS/NZS ZZ modified Yes No N/A AS/NZS ZZ modified Yes No N/A X OR Complies with the Conformity Cooperation Agreement ⁵ Yes No No X			No 🗌 N/A 🔀
Names and addresses of any testing organisation or body			
Name(s): SAA Approvals			72, Australia
Name(s): SAA Approvals Address(es): 5/20 Rivergate PI, Murrarie QLD 4172, Austr		72, Australia	
Reference to relevant test rep	oorts/certification and the issue	date that show how compliance is a	chieved
Standard(s) or document(s) used, to show how compliance with cited standard is achieved: Certificate of Conformity / Approval Certificate of Approval		Report Certification or Document reference N°(s): SAA111882EA SAA-162204-EA	Issue dates(s): 20.12.2011 13.10.2016
Reference to any management qua Additional information ⁶ :			
Name and position as authorized HEATH COOPER – MANAGIN Issuer Identification (as affixed to CLA Lighting New Zealand	by the issuer ⁷ : IG DIRECTOR	Signature:	
		24/07/2023	

In accordance with ISO/IEC 17050-1:2004

Notes for completion

- 1. Every declaration of conformity should be uniquely identified.
- 2. The responsible issuer must be unequivocally specified.
- 3. The "Article" must be unequivocally described so that the declaration of conformity may be related to the article in question. For mass-produced-products, it is not necessary to give individual serial numbers. Where variants of an article are to be covered, these must be detailed.
- 4. The cited standard is the applicable specific safety standard exactly as it is cited in <u>Schedule 4 of the Electricity (Safety)</u> <u>Regulations 2010</u> or AS/NZS 3820, at the date that the declaration is signed. Where a valid Approval exists for a product issued by an Australian State Regulator Office (only), a copy of the Approval Certificate maybe used as evidence of compliance with the alternative AS/NZS 3820.
- 5. This is for products imported and offered for sale under the explicit control of the China "Conformity Cooperation Agreement" such product will be marked in accordance with that agreement and NZ suppliers of such product should obtain documentary evidence to support any claim that a product is covered by the agreement. Warning a product offered for sale that is marked in accordance with the CCA, that is not actually covered by the CCA is illegal and subject to a fixed Infringement Fee fine.
- 6. Text should appear here only if any limitation on the validity of the declaration of conformity and/or any additional information are given.
- 7. Full name and function of the signing person(s) authorised by the issuer's management to sign on its behalf should be given. The number of signatures, or equivalent, included will be the minimum determined by the legal form of the issuer's organisation.

Continuing validity of the declaration of conformity

The issuer of the declaration of conformity shall have procedures in place to ensure the continued conformity of the medium risk article, as delivered or accepted, with the stated requirements of the declaration of conformity.

The issuer of the declaration of conformity shall have procedures in place to re-evaluate the validity of the declaration of conformity, in the event of:-

- a) changes significantly affecting the article design or specification,
- b) changes to the standards which conformity of the article is stated,
- c) changes in the ownership or structure of management of the supplier,
- d) if relevant, or relevant information indicating that the article may no longer conform to the specified requirements.

Additional information regarding the declaration

"Issuer Identification" as affixed to the article: this marking should identify the issuer of the SDoC and may be for example in the form of a NZ GST N°, NZ Company N°, Unique NZ brand name or trademark, or SCN issued by Radio Spectrum Management (this number can be used, even if a C-tick is not required for the article), etc. Failure to mark a product with such unique identification may result in the issuer being held responsible for compliance of an article that may not have been supplied by the issuer, unless the issuer can prove otherwise! This is particularly relevant where the same or very similar model is or may be imported or manufactured, by other NZ suppliers.

A copy of the SDoC and test report(s) (certification) and/or other supporting compliance documentation must be available, if the supporting compliance documentation is not available directly from issuer, the name and address of from where it can be obtained from, must be provided by any supplier within the New Zealand supply chain. (Note: A copy of the SDoC and supporting documentation must be available within 10 working days after being asked to do so, by Energy Safety, a purchaser, or other consumer, of the article declared).

A person who sells or offers for sale, a declared medium risk article commits an offence, if at the time of sale or offer to sell, a valid declaration of conformity for the article has not been made, or the person cannot provide a copy of the declaration of conformity, along with the required supporting documentation, within the timeframe allowed. Penalties associated with a grade A offence are fines, not exceeding \$10,000 for an individual or \$50,000 for a body corporate (company) if successfully prosecuted, or a fixed infringement fee, of \$1,000 for an individual or \$3,000 for a body corporate (company).

See <u>listings of the current regulatory definitions for electrical equipment deemed to be medium risk articles</u>, on the Energy Safety website <u>www.energysafety.govt.nz</u>.

This form can be edited to increase any text box size, in order to insert more detail, than the current space allows, if required.

This is an example ISO/IEC 17050-1 form for a recognised declaration of conformity; any other form complying with the requirements of ISO/IEC 17050-1:2004, may be used instead, for the purpose of Electricity Regulation 83.

Nothing prevents this form being extended to act as an SDoC, for other regulatory purposes.

This completed form remains with the issuer as part of the documentation required as evidence of compliance DO NOT submit a copy of this form to Energy Safety unless specifically requested to do so.